

ENVIRONMENTAL CLEARANCE COMPLIANCE REPORT

April-2025 to September-2025

For

**Granite Building Stone Quarry
of**

M/s MARTHOMA GRANITES

At

Extent : 7.4590 Ha

Sy. Nos. : 8/9

Village : Alakkodu

Taluk : Thodupuzha

District : Idukki

State : Kerala

EC File No: 1413(A)/EC1/2019/SEIAA

Dated: 01.07.2023.

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites



**MARTHOMA
GRANITES**

+91 9447022544
+91 9605608800
✉ marthomasands@gmail.com
📍 Edavelty P O, Thodupuzha
Idukki District, Kerala 686566
GSTIN: S2AAQFMS408Q1ZQ

Date = 11/12/2025

To,

The Deputy Director of Forests(c) MoEF, Integrated
Regional office, Kedriya Sadan, 4th Floor, E&F
Wings, 17th Main Road, Koramangala II Block,
Bangalore - 560 034

Respected Sir,

**Sub: Environmental Clearance Compliance Report for the period April- 2025 to
September- 2025 pertaining to 'Granite Building Stone Quarry of M/s Marthoma
Granites'.**

Ref: Environmental File No: 1413(A)/EC1/2019/SEIAA, Dated: 01.07.2023

As per conditions of the above referred Environmental Clearance (EC), please find enclosed compliance report for period from April-2025 to September-2025 of the EC Granted to 'Granite Building Stone Quarry Project of M/s Marthoma Granites' by Ministry of Environmental & Forest under EPA (1986). Also enclosed are relevant Annexures in Support of the compliance report for your perusal and record please. We have sent you a soft copy of the report via email for your reference and review.

We hope you will find the attached Status Report in Order.

Thanking you,
Yours truly,

For 'Granite Building Stone Quarry Project of M/s Marthoma Granites'.
SAJAN MANI (Managing Partner)



Encl: as above

Cc: The Member Secretary
State Environment Impact Assessment Authority SEIAA) Directorate of
Environment & Climate Change
4th Floor, KSRTC Bus Terminal,

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

Introduction

M/s Marthoma Granites, Alakkodu Village, Thodupuzha Taluk, Idukki, Kerala, has been granted for a mining lease to quarry Granite Building Stone over an area of 7.4590 Ha. in Sy. Nos 8/9, in Alakkodu Village, Thodupuzha Taluk, Idukki, Kerala, State.

The Environmental clearance is also obtained for this mining lease vide File no 1413(A)/EC1/2019/SEIAA, Dated: 01.07.2023.

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

Description of the project

File No.	1413(A)/EC1/2019/SEIAA
Name of the project	Quarry Project of M/s Marthoma Granites (Minor Mineral)
District and state	Idukki, Kerala
Taluk / Mandal	Thodupuzha
Category & Schedule	B2 & Schedule 1(a)
Khasara No. / Plot No. / Block / Gate No. etc.,	Sy. No. 8/9,
Extent of Area	7.4590 Ha.
Ownership/ Occupancy	Government land on lease
Existence of public road/railway line, if any, nearby and approximate distance Nearest Port / Airport	Nearest airport - Cochin airport, 60 km Nearest railway line - Piravom Road Station, 40 km
Latitude & Longitude	N-09°55'34.4" to N-09°55'49.2" E-76°45'55.6" to E-76°46'09.8"
Address of Registered office	MARTHOMA GRANITES M/s Marthoma Granites, Edavetty P.O., Thodupuzha, Idukki, Kerala 685588

Compliance for the Site-specific conditions & General conditions for the EC granted mining project of 'Granite Building Stone Quarry of M/s Marthoma Granites vide E. C. File No: 1413(A)/EC1/2019/SEIAA, dated: 01.07.2023 is done and details are mentioned below.

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

SPECIFIC CONDITIONS:

Sl. No	Condition	Status of Compliance
1	The Project Proponent shall carry out quarrying as per the approved Mining Plan and the Specific Conditions mentioned hereafter. The Project Proponent should strictly follow the Kerala Minor Mineral Concession Rules 2015 and amendments thereby.	Mining operations will be carried out as per the approved Mining Plan. The specific conditions mentioned were scrupulously followed.
2	The EC shall be valid from the date of execution of permit/lease from the Department of Mining and Geology. The copy of the lease order should be provided to the SEIAA before commencing the mining activity.	Agreed, and a copy of the lease order is provided to the SEIAA.
3	The EC issued will be subject to a review by SEAC after 5 years through field verification to ensure that mining is carried out sustainably as per the EC conditions.	Ensuring mining operations are conducted in a scrupulously sustainable manner.
4	Progress of implementation of approved remediation and damage assessment plan should be incorporated in HYCR	Implementation of remediation and damage assessment plan, few works have been undertaken and completed as following. - To control dust on transport roads outside the lease area, we provided a 7 KLD capacity water tanker equipped with a sprinkler system to mitigate air pollution caused by our operations.. Annexure-1 - Provided a paved-topped road at Edavetty village. Annexure-2

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

5	Development of green belt using indigenous species should be initiated prior to the commencement of mining.	For the development of the green belt using indigenous species were planted along the transport road sides.
6	The impact of vibration due to blasting on the houses and built structures within 200m should be monitored in terms of Peak Particle Velocity and amplitude for maximum charge per delay and included in the Half Yearly Compliance Report.	The impact of blast-induced vibrations on houses and built structures within 200 meters will be monitored regularly. Charging of each blast hole with a minimum of 0.375 kg to a maximum of 0.500 kg, and using 250-300 ms Nonel for initiation down the hole & surface delay. The total quantity of explosive used per round is 12.5 kg depending on strata condition, and PPV will be approximately less than 0.3 mm/s.
7	Drainage system incorporating garland canal, silt traps, siltation pond and outflow channel connecting to a natural drain should be provided prior to the commencement of mining.	Drainage system was incorporated prior to the commencement of mining for the surface runoff. Provided silt traps across the flow to prevent soil erosion; the pond outflow channel is connected to the natural drain. Annexure-3
8	Overflow water from the siltation pond should be discharged to the nearby natural drain after adequate filtration	From the siltation pond, laden water will be adequately treated and discharged to allow clean water to flow; it is connected to the southeast natural drain. • Annexure-4

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

9	Garland drain, silt-traps, siltation ponds and outflow channel should be desilted periodically and geo-tagged photographs of the process should be included in the half yearly compliance report (HYCR).	Garland drains, silt traps, siltation ponds, and outflow channels were desilted periodically, • Geotagged photographs are enclosed for your reference. Annexure-5
10	Drainage water should be monitored at different seasons by an NABL accredited lab and clear water should only be discharged into the natural stream. Geotagged photographs of the drainage and sampling site should be submitted along with HYCR.	The drainage water is monitored in every season by an NABL-accredited lab, and only clear water is allowed to be discharged into the natural drain. • Annexure -6
11	Overburden should be stored at the designed place and gabion wall should be provided for the topsoil and overburden storage sites	The overburden is currently being stored at the designated location as per the approved mining plan. Construction of gabion walls around the topsoil and overburden storage sites will be undertaken shortly to ensure stability and prevent erosion.
12	CER Plan should be implemented within the first 2 years and it should be operated and maintained till the mine closure plan is implemented.	The CER (Corporate Environment Responsibility) Plan will be implemented within the first two years of mining operations in consultation with the local Panchayat officials.
13	Transportation of mined material should not be done during the peak hours in the forenoon (8.00am to 10.00am) and afternoon (3.30pm to 5 pm).	Transportation of mined material is scheduled to avoid peak traffic hours and will not be carried out during the forenoon (8:00 AM to 10:00 AM) and afternoon (3:30 PM to 5:00 PM) periods.
14	Adequate sanitation, waste management and rest room facilities should be provided to the workers.	Scrupulously followed

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

15	Environment Management Cell (EMC) should include one subject expert in environment management. The proceedings of the monthly meeting of the EMC should be submitted along with the HYCR.	The EMC proceedings of the monthly minute of the meeting register maintained for the purpose and submitted along with the HYCR. • EMC minutes of meeting report- Annexure-7
16	Adequate number of avenue trees of indigenous species should be planted along both sides of the haulage road.	For the development of the green belt using indigenous species saplings were planted along the haulage the road sides
17	Adequate energy conservation measures proposed should be implemented including solar power installations for street lights and office. At least, 40% of the energy requirement of the project should be met from the solar power.	Adequate energy conservation measures will be implemented. Installation of solar-powered light is in under progress.
18	Adequate facilities should be adopted to harvest the rainwater as per the guidelines issued by the Central Groundwater Authority	Adequate facilities for rainwater harvesting will be developed.
19	Blasting mats should be used during rock blasting to contain the blast, prevent fly rocks and suppress dust.	Blasting mats is being used during rock blasting operations. • Photo enclosed for your reference Annexure –8

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

20	As per OM no F.No.22-65/2017-IA.III dated 30th September 2020, under Corporate Environmental Responsibility (CER) the Project Proponent should implement the Environment Management Plan (EMP)/CER as directed by SEAC during appraisal, covering the issues to address the environmental problems in the project region, from the beginning of the project, indicating both physical and financial targets year wise. The EMP/CER shall be implemented in consultation with Local Self Govt. Institutions. A copy of the approved EMP/CER shall be made available to the concerned Panchayat for information and implementation support.	The Environment Management Plan (EMP) has been implemented as directed by the SEAC, and the Corporate Environmental Responsibility (CER) activities are being implemented in phased manner
21	In the wake of occurrence of large-scale landslides in the state, as per the information provided by the Department of Mining & Geology, it is directed to use only NONEL (Non Electrical) technology for blasting to reduce the vibration of the ground, which is one of EC Identification No. - EC23B000KL128115 File No. - 1413(A)/EC1/2019/SEIAA Date of Issue EC - 01/07/2023 Page 6 of 21 Content	• NONEL (Non-Electrical) technology is being used for blasting to reduce the ground vibrations. • Photo copy of the Nonel Blasting system is enclosed for your reference Annexure-9

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

22	As per the directions contained in the OM F.No.22-34/2018-IA.III dated 16th January 2020 issued by MoEF & CC, in obedience to the directions of the Hon'ble Supreme Court the Project Proponent shall, undertake re-grassing the mining area and any other area which may have been disturbed due to his mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. The compliance of this direction shall be included in the Half Yearly Compliance Report which will be monitored by SEAC at regular intervals.	Scrupulously following the directions contained in all the reclamation & rehabilitation environmental status reports will be uploaded in the next HYCR.
23	The violation of EC condition may lead to cancellation of EC and action under The Environment (Protection) Act 1986.	Agreed

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

GENERAL CONDITIONS

Sl. No	Conditions	Status of compliance
1	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	We are scrupulously following all the conditions stipulated in the EC. • Notarized affidavit copy see Annexure-10
2	All the statutory clearances should be obtained, as applicable, by the project proponent from the respective competent authorities including that for blasting and storage of explosives. Copies of all statutory clearances shall be submitted along with First Half Yearly Compliance Report.	All statutory clearances were obtained. • Copy of Magazine license Annexure - 11 • Consent to operate from KSPCB is attached Annexure-12 • Copy of panchayat license Annexure-13
3	The project proponent should advertise in newspapers that the project has been accorded Environmental Clearance and copies of clearance letters are available in the Office of State Environment Impact Assessment Authority (SEIAA) and on the website of the Authority at www.seiaakerala.in . The advertisement should be in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language. The advertisement should be made within 10 days from the date of receipt of the Environmental Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.	The accorded environmental clearance (EC) report has been advertised in two local newspapers widely circulated in the region. • Advertisement copy enclosed for your reference. Annexure-14

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

4	The proponent shall send a copy of the EC to concerned Grama Panchayat/ District Panchayat/Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The Environmental Clearance shall also be uploaded on the website of the company.	A copy of the EC letter was sent to the Concerned Grama Panchayat/ District Panchayat/Municipality/Corporation/Urban Local Body and also to the Local NGO, for their records and action.
5.	The lease area shall be fenced with barbed wire to a minimum height of 4ft around, before starting mining. All the boundary indicators (boards, markings, etc) shall be conspicuous and maintained at all times.	The lease area has been properly fenced, and the boundary indicators have been erected as required and properly maintained all the times • Photos of the boundary pillars Annexure-15 • photos of the fencing Annexure-16
6	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.	The Environmental Clearance details are clearly displayed on a metallic board with the specified dimensions. • The photo of EC Board Annexure-17
7	Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department. Mats to reduce fly rock blasts to a maximum of 10 PPV should be provided.	Explosives are stored in Magazine in isolated place specified and approved by the Explosives Department. • Photo of magazine Annexure -18 Rubber mats using for reduce the fly rock blasts to reduce maximum of less than 10 PPV • Photos of rubber mats covered on blasting area Annexure-19

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

8	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged stipulated by Explosive Department.	Warning alarms indicating the time of blasting have been arranged as per the specific timings stipulated by the Explosives Department to ensure safety and compliance during blasting operations. • Photo of warning alarm Annexure-20
9	Access roads to the quarry shall be black topped to contain dust emissions that may arise during transportation of materials. The transportation of minerals should be done in covered trucks to contain dust emissions.	"The access road to the quarry is properly maintained. A water tanker sprinkler is watering regularly to control the dust. Minerals are transported in covered trucks to effectively control dust • Photo of access road Annexure- 21 • Photo of covered transport vehicle Annexure-22
10	A separate Environmental Management Cell (EMC) with suitable qualified personnel should be set-up under the chairmanship of a Senior Executive, who will report directly to the Head of the Organization. The Cell should have representative of Biodiversity Management Committee of the Panchayat and a representative of NGO, if any active in the area. The EMC should meet at least once in six months and review the activities and minutes should be a part of the compliance report.	Agreed.
11	Quarrying has to be carried out as per approved mining plan with the suggestions from SEAC incorporated and following KMMC rules 2015 and the Amendments thereby.	"Mining operations will be carried out according to the approved Mining Plan and the guidelines of SEAC and the KMMC Rules, 2015."
12	The quarrying operation (Blasting) shall be restricted between 7 AM and 5PM.	Quarrying operations and blasting are carried out strictly between 7:00 AM and 5:00 PM in accordance with regulatory guidelines." Working hours Annexure-23

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

13	Rain Water Harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified. Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.	Rainwater harvesting will be installed as per KMBR/KPBR norms, and solar energy will be maximally utilized as an essential component of the project.
14	Maximum depth of mining shall be as per the mining plan and as per specific direction of SEAC after field inspection. The maximum depth of mining should not be deeper than the local ground water table. No mining operations should be carried out at places having a slope greater than 45°.	Mining depth will be restricted above the groundwater level, and no mining activities will be conducted in areas with a slope exceeding 45°.
15	The height of any bench shall not exceed five meters and breadth shall not be less than the height.	Benches are being properly maintained with the height and breadth in compliance with safety standards, ensuring stability and effective mining operations. • Photos of the working benches Annexure -24
16	The Project proponent shall ensure that no perennial or intermittent natural water course and/or water resources are obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.	We confirm that we are scrupulously following the stipulated contents, and we will ensure no perennial or intermittent streams/water resources are obstructed during mining operations.

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

17	A minimum buffer distance specified as per existing rules and statutory orders shall be maintained from the boundary of the quarry to the nearest dwelling unit or other structures, and from forest boundaries or any other ecologically sensitive and archeologically important areas or the specific distance specified by SEIAA in EC as per the recommendations of SEAC depending on specific local conditions.	A minimum buffer distance, as specified by existing rules and statutory orders, is being maintained from the boundary of the quarry to the nearest dwelling units.
18	The proponent should plant seedlings at least 5 times of the loss of trees that has occurred while clearing the land for the project and follow planting measures as suggested by SEAC. Suitable avenue trees should be planted along the sides of the approach road and internal roads and open parking areas, if any. Preference should be given to endemic native and fruit bearing species. Planting in buffer areas should be taken up beforehand. Proper upkeep and maintenance of planted seedlings shall be ensured by the project proponent.	Scrupulously followed
19	The proponent should ensure that the vegetation in the buffer is retained, maintained and strengthened with additions of native broad-leaved plants.	A few saplings have been planted in the buffer zone to strengthen the area. Next season, we will plant more saplings. Annexure-25

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

20	Eco-restoration including the closure of mine as per the progressive closure plan and final closure plan shall be done at the cost of the project proponent. This eco-restoration should follow scientific standards available for restoration, full recovery of the original vegetation and improving the resilience of different ecosystems. Overburden materials should be managed within the site and used for reclamation of mined pit as per mine closure plan / specific conditions.	Scrupulously followed
21	At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with suitable indigenous plant species, if no other specific condition on reclamation of pit is stipulated in the E.C. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.	Noted.
22	Control measures on noise and vibration prescribed by KSPCB should be implemented. Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.	Noise and vibration control measures, as per KSPCB guidelines, will be strictly followed. Quarrying operations are currently being carried out during daytime hours only.
23	Periodical monitoring of the vibration at specified location (preferably at a distance of 50 m and 100 m) to be conducted and records kept for inspection. This could also form a part of the compliance reports.	Scrupulously followed

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

24	Speed of trucks entering or leaving the mine site is to be limited to moderate speed of 25 kmph to prevent undue noise from empty trucks.	The speed of trucks entering or leaving the mine site is restricted to 25 km/h, as per the prescribed guidelines. • Speed limit sign board displayed Annexure-26
25	Acoustic enclosures should be provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standard limit indicated by CPCB/KSPCB.	Will be complied.
26	Blasting should be done in a controlled manner using NONEL technique as specified by the regulations of Petroleum and explosive safety organization (GOI) or any other concerned authorized agency. A licensed person should supervise/ control the blasting operations	Blasting operations are conducted using the NONEL technique. And all blasting activities are supervised by a competent person mines manager, and a foreman has been appointed.
27	Measures should be taken for maintaining noise levels below 85 dBA in the work <u>environment</u> .	Proper measures were taken to maintain noise levels below 85dB. Annexure -27
28	Project proponent should obtain necessary prior permission of the competent authorities for drawing requisite quantity of surface water and ground water for the project.	Noted.
29	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six-monthly compliance reports to SEIAA.	We scrupulously followed the relevant content/instructions and report to SEIAA Annexure-28

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

30	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps, to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, and for green belt development etc. The drains shall be regularly desilted and maintained properly, particularly after monsoon.	Catch drains and siltation ponds are constructed in and around the mine to prevent runoff, and the water is utilized for regularly watering the mine roads and green belts. Annexure-29
31	Regular monitoring of ground water level and quality shall be carried out around the mine area during mining operation. If any stage, if it is observed that ground water table is getting depleted due to the mining activity; necessary corrective measures Shall be carried out.	Regular monitoring of ground water level & quality has been conducted around the mining area.
32	Garland drains and silt traps are to be provided in the slopes around the core area to channelize storm water. De- silting of Garland canal and silt traps have to be attended on a daily basis. A labour has to be specifically assigned for the purpose. The proponent shall ensure the quality of the discharging storm water as per the General Effluent Discharge Standards of CPCB.	Garland drains and siltation ponds are constructed around the core area to effectively channelize storm water. De-silting of the canal is done on a daily basis to ensure effective flow of rain water. Annexure-30

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

33	In the case of any change(s) in the scope of the project, extent, quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which the E.C was issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority. In the case of transfer of ECs, the matter shall be intimated and get the approval from the Authority as per the existing norms.	Noted.
34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Noted.

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

35	The top soil, if any, shall be temporarily stored at earmarked place (s) and used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained at 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. At critical points, use of geo textile shall be undertaken for stabilization of the dump. Protective wall or gabions should be made around the dump to prevent erosion / flow of sediments during rains. The entire excavated area shall be backfilled.	Noted all the contents scrupulously followed. Top soil and overburden are dumped separately in designated place and will be utilized for land reclamation & plantation purpose.
36	All the mining equipment used in Mining like backhoe loaders and excavators cause pollution and hence shall be serviced regularly & maintained for their efficient functioning and for reducing pollution. Disposal of spent oil from diesel engines should be as specified under relevant Rules/ Regulations.	Mining equipment's will be maintained regularly and spent oils will be used as lubricants.
37	All vehicles used for transportation and within the mines shall have 'PUC' certificate from authorized pollution checking centre. Washing of all vehicles shall be inside the lease area.	Only 'PUC' certified vehicles are used for transportation purposes.

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

38	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution such as haul road, loading and unloading points and transfer points and having high levels of PM ₁₀ and PM _{2.5} . Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board.	Water sprinkling is being used to control dust emissions. Ambient Air quality monitoring photos were attached as Annexure-31
39	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement at project site, parking area, on haul roads, loading and unloading and at transport points should be provided and properly maintained.	Fugitive dust emissions from all sources are consistently controlled through regular water sprinkling. Photo of water sprinkling Annexure-32
40	Corporate Environmental Responsibilities (CER) as prescribed by SEIAA/SEAC should be carried out leading to Environmental stability of the Project region. The activities carried out under CER should be a part of the half yearly compliance report. The certificates from the beneficiaries, if the CER part is completed should also be submitted to the State Environment Impact Assessment Authority (SEIAA) along with year wise expenditure.	Scrupulously followed
41	The project proponent is responsible for implementing all the provisions of labour laws applicable from time to time to quarrying /mining operations. The workers on the site should be provided with on-site accommodation or facilities at a suitable boarding place, protective equipment such as ear muffs, helmet, etc.	All workers are equipped with necessary protective gadgets, including earmuffs, helmets, and other safety equipment, to ensure a safe working environment. We have provided workers with well-maintained accommodation and suitable boarding facilities with all amenities. Annexure-33

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

42	The proponent has to provide insurance protection to the workers in the case of existing mining or provide the affidavit in case of fresh lease before execution of mining lease.	We provide the affidavit for the insurance protection plan for the workers." Annexure-34
43	Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. The report of health surveillance programme should be included in the half yearly compliance reports.	An occupational health surveillance program of the workers will be undertaken periodically, initial and periodical medical examinations of workers' will be conducted as soon.
44	The pits in the abandoned quarries and in the mined area shall be used for activities like water harvesting, aqua culture etc. in an eco-friendly manner.	Agreed.
45	If Government land is partly or fully used for mining, the area shall be returned at the end of lease period after mine closure with separate demarcation with suitable survey marks.	Agreed.
46	Any accident occurring in the mined out area after the lease period due to negligence in carrying out safety measures and non-closure, will lead to suspension of all EC obtained for mining by the proponent.	Noted
47	In case of transfer of EC the matter shall be intimated and approval from the Authority shall be obtained as per the existing norms.	Agreed.

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

48	The proponent shall submit Half Yearly Compliance Reports (1 st of June & 1 st of December) on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e- mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall be simultaneously sent to the respective Regional Office of Ministry of Environment, Forests and Climate Change, Govt. of India and also to the Office of State Environment Impact Assessment Authority (SEIAA). The proponent has to submit Environmental statement in form V of Environment (Protection) Rules 1986 to SPCB on 31 st March every year.	Agreed.
49	The project authorities should extend full cooperation to the officer (s) from the Regional Office of MOEF & CC located at Bangalore/SEAC/SPCB/CPCB/dept of Mining and Geology, while monitoring compliance of the stipulated conditions, by furnishing the requisite data/information/monitoring reports.	Agreed.
50	The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project.	Noted.

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

51	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the Environment Clearance under the provisions of the Environment Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Noted.
52	The EC given will be withdrawn at any time if the area is declared high hazardous by the SDMA.	Noted.
53	The Environmental Clearance will be subject to the final order of the courts on any pending litigation related to the land or project, in any court of law.	Agreed.
54	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted
55	Concealing the factual data or submission of the false /fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of environment (Protection) Act,1986.	Noted.
56	The SEIAA may revoke or suspend the order, for non-implementation of any of the specific or any of the above conditions. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.	Noted

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

Compliance Report for the period of October 2024 – March 2025
Granite Building Stone Quarry Project of M/s Marthoma Granites

57	As per regulation no. 106(2) of metalliferous mines regulation under Mine act, the height of any bench shall not exceed six meters and breadth shall not be less than the Height.	The height and width of the bench are being properly maintained.
----	---	--

For 'Granite Building Stone Quarry project of M/s Marthoma Granites'


Sajan Mani
(Managing Partner)

Date = 1/12/2025

ANNEXURES



ANNEXURE-1

ANNEXURE-1





ANNEXURE-1, WATER SPRAYING ON ROAD

ANNEXURE-2

PAVED TOPPED ROAD



ANNEXURE-2



PAVED ROAD





out flow channel

ANNEXURE-3

Thodupuzha Kerala Aug 4, 2025, 06:30

ANNEXURE-4



Thodupuzha Kerala Aug 4, 2025, 06:30

ANNEXURE-5

de-silting

MONITORING PHOTOS









ANNEXURE-7

September - 2025

Minutes of the environmental monitoring Cell (EMC) meeting held at company conference hall at thodupuzha on 7/9/2025 between 4.00 pm to 6.00 pm for Discussion of the environmental General & specific conditions monitoring and restoration.

following the members are attended the meeting as follows

S.No	Name	Designation	EMC	Signature
1	Umashtenkar	General manager	Head of monitoring cell	
2	Saj Joseph	Site manager	project observation and monitoring	
3	Ramesh B R	mine manager	monitoring & Report executive	
4	Kuriam James	mine mate	Safety officer	
5	Martin Kuriam	Site Supervisor	member	
6	Mukesh R	Asst of RO	member	

At the beginning of the meeting Sri. Umashtenkar G m welcomed all the members and he addressed in the meeting about the previous meeting review and key issue of the today meeting








General manager has suggested regarding Safety gadgets for miners members are asking, for purchasing of Personal Protective Equipment ~~to~~ already given order to purchase,

and for Dust Suppression arrangement Company has hired a water tanker for temporarily till the purchasing of new Tanker use this hired Tanker regularly suppress the dust at haul road, Drill spot and using for watering to Sapling Regularly the right amount of water to grow young plant.

September-2025

ANNEXURE-7

The Environmental management cell minutes of the meeting held on 5/9/2025 between 4.00 pm to 6.00 pm at head office - Thodupuzha for discussing about implementation of EC General & specific conditions, following the members are attended the meeting as follows

SNO	Name	Designation	Emc	Signature
1	Sajan mani	in Director	Head of the Emc	
2	Ranjith Jacob	B Director	advisor	
3	Joseph George	B Directors	Project management in charge	
4	Umashankar	General manager	Reporting Schedule master	
5	Ramesh B R	mine manager	monitoring & report executive	
6	Kurian James	mine male	Safety Officer	
7	muneesh R	PRO	member	

At the beginning of the meeting Sri Sajan mani managing Director welcomed all the members addressed in the meeting about the previous meeting topics and Key points to be discuss in the today meeting.

Today subject brought to the meeting Safety Gadgets for miners and dust suppression in the mine Director has discussed and suggested in the meeting regarding purchasing of the personal protective equipments for the miners to provide, from tomorrow it self. and arrangement of water tanker for dust suppression in the mine temporarily hired a water tanker and start the suppression of dust on haul road, Drilling spot, we are planning to purchase one water tanker as soon till that use hired Tanker for dust suppression in the mine regularly.



SHELTER FOR BLASTERS

ANNEXURE-8

BLASTING MAT



GPS Map Camera

ANNEXURE-9

NONEL BLASTING

31/12/2025 13:07





ANNEXURE-9

NONEL BLASTING

31/12/2025 13:07

നോൺ ജുഡീഷ്യൽ **NON JUDICIAL**

₹ 200 **₹ 200**

കേരള സർക്കാർ
GOVERNMENT OF KERALA
e-Stamp

e-Stamp Serial Number : 202526000001550137 Verification Code : 165173070V

Govt. Reference No.(GRN)	: KL011681531202526E
Purpose	: Affidavit
Amount of Stamp Paper Purchased in Numeral	: ₹ 200
Amount of Stamp Paper Purchased in Words	: Rupees Two Hundred
Stamp Paper Purchased on	: 09/06/2025
First Party Name	: MANAGING PARTNER
First Party Address	: MARTHOMA GRANITES EDAVETTY
Second Party Name	: S E I A A
Second Party Address	: THIRUVANANTHAPURAM
Vendor Code & Name	: 10050355 - ARUN M
Treasury Code & Name	: 1005 - Sub Treasury, Thodupuzha

Please write or type below this line

AFFIDAVIT

I, SAJAN MANI Managing partner M/s. MARTHOMA GRANITES of Alakode Village, Thodupuzha Taluk, Idukki District, of Kerala, hereby state that the land Sy. No: 8/9 bearing the EC No: EC23B000KL128115 (E. C. File No: 1413(A)/EC1/2019/SEIAA, dated: 01.07.2023) that all the conditions stipulated in the Environmental clearance proceedings (ECP) shall be scrupulously following and do hereby solemnly affirm on oath as under that.

We will establish an environmental management cell to implement the environmental management strategy and meet the general and specific conditions stipulated in the EC conditions.


Sajani Mani
Managing Partner
Marthoma Granites
Edavetty, Thodupuzha, Idukki
Kerala

Solemnly affirmed and signed
before me by the deponent
known to me on this the 13th
day of June 2025
at my office at Thodupuzha



Arun J. Puthumathottay



This can be verified by
https://www.estamp.treasury.kerala.gov.in/index.php?stamp_search=1&StampSerialNumberandVerificationCode

In case of any discrepancy, please inform the concerned authority.

JAISON J. PUTHUMANATHOTTY
ADVOCATE & NOTARY
THODUPUZHA, IDUKKI DIST.
KERALA STATE, INDIA-685585
PH: 9947854338



ARUN
VENDOR, THODUPUZHA



भारत सरकार | Government of India
वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो) | Petroleum & Explosives Safety Organisation (PESO)
पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives
A और D - विंग, ब्लॉक 1-8, दूसरा तल, शास्त्री भवन | A & D - Wing, Block 1-8, 11nd Floor, Shastri Bhavan
26 हड्डोउस रोड, नुंगम्बक्कम चेन्नै | 26 Haddous Road, Nungambakkam Chennai 600006
फोन (Phone):- 28281023 | फैक्स (Fax):- 28284848

संख्या (No.): E/SC/KL/22/1761(E70839)

दिनांक (Date): 29/08/2023

सेवा में | To,

M/s. Marthoma Granites,
Edavetty-P.O., Town/Village - Thodupuzha
District-IDUKKI, State-Kerala, Pincode - 685588

विषय: Survey No.295/4, Block No.34, ग्राम Karikkode, Thodupuzha Taluk, जिला IDUKKI, राज्य Kerala में मेसर्स M/s. Marthoma Granites द्वारा विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SC/KL/22/1761(E70839) के संशोधन संदर्भ में।
(अखण्ड / सुविधाएं / परिसर में परिवर्तन)

Subject: Possession for Use of Explosives from magazine situated at Survey No.:295/4, Block No.34, Karikkode, Thodupuzha Taluk, Dist. IDUKKI, Kerala -Licence No.: E/SC/KL/22/1761(E70839) granted in Form LE-3 of Explosives Rules, 2008 - (Amendment in Drawings/Facilities/Premises).

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या 96863 दिनांक 29/08/2023 का संदर्भ ग्रहण करें।
Please refer to your letter no. 96863 dated 29/08/2023.

अनुज्ञप्ति संख्या E/SC/KL/22/1761(E70839) usage of Explosives at the Granite Building Stone Quarry Granted to the Licensee situated at Re-Survey No. : 8/9, Alakkodu village, Thodupuzha Taluk, Idukki district, Kerala wide the (E.C No. 107/Q/2023, dated 01.07.2023 - E.C Identification No. EC23B001KL128115, issued by SEIAA, Kerala) under the following conditions: 1. Opening of Mines should be intimated to DGMS and Director of Mines & Geology. 2. Blasting Operations should be conducted as per Mines Act & Rules. 3. Usage of Explosives to be as per Explosives Rules, 2008 and all records to be maintained as per the Explosives Rules, 2008. 4. All unused Explosives should be returned to Explosive magazine before Sunset. 5. Transportation of Explosives to be Followed as per Explosives Rules, 2008 and RE6 and RE13 to be maintained as per the Rules. 6. Other Permissions from the State/Central Government Authorities needed to be obtained by the Licensee/Occupier for the Transportation, Usage of Explosives. 7. Licensee/Occupier to be responsible for all activities related to the Blasting, Transportation and any other activities under Explosives Rules, 2008. के संदर्भ में यथा संशोधित कर भेजी जा रही है।
The Licence No.: E/SC/KL/22/1761(E70839) is forwarded herewith duly amended in respect of followings;

usage of Explosives at the Granite Building Stone Quarry Granted to the Licensee situated at Re-Survey No. : 8/9, Alakkodu village, Thodupuzha Taluk, Idukki district, Kerala wide the (E.C No. 107/Q/2023, dated 01.07.2023 - E.C Identification No. EC23B001KL128115, issued by SEIAA, Kerala) under the following conditions: 1. Opening of Mines should be intimated to DGMS and Director of Mines & Geology. 2. Blasting Operations should be conducted as per Mines Act & Rules. 3. Usage of Explosives to be as per Explosives Rules, 2008 and all records to be maintained as per the Explosives Rules, 2008. 4. All unused Explosives should be returned to Explosive magazine before Sunset. 5. Transportation of Explosives to be Followed as per Explosives Rules, 2008 and RE6 and RE13 to be maintained as per the Rules. 6. Other Permissions from the State/Central Government Authorities needed to be obtained by the Licensee/Occupier for the Transportation, Usage of Explosives. 7. Licensee/Occupier to be responsible for all activities related to the Blasting, Transportation and any other activities under Explosives Rules, 2008.

किसी भी एक समय में लाइसेंस क्षमता निम्नलिखित वर्ग तथा मात्रा से अधिक नहीं होगी।

The licence capacity at any one time shall not exceed the kinds and quantities mentioned below;

संख्या No	विस्फोटक Explosive(s)	वर्ग Class	प्रभाग Div	उप-प्रभाग Sub Div	क्षमता Capacity	इकाई Unit
1	Nitrate Mixture	2	0	0	500	Kg.
2	Safety Fuse	6	1	0	2000	Mtrs
3	Ordinary Detonator	6	3	0	2000	Nos.
4	Electric Detonators	6	3	0	2000	Nos.

किसी एक कैलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनुच्छेद 3 (ख) और (ग) के अधीन अनुज्ञप्ति के लिए लागू) : 10 गुना
Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : 10 times as above.

यह अनुज्ञप्ति दिनांक 31 मार्च 2027 तक प्रवृत्त रहेगी।

This Licence shall remain valid till 31st day of March 2027.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया विस्फोटक नियम, 2008 के नियम 112 के अंतर्गत प्रक्रिया का पालन करें। कृपया पावती दें।

For further revalidation(if required), please follow the procedure under Rule 112 of Explosives Rules, 2008. Receipt of this letter may please be acknowledged.

भवदीय | Your's faithfully

(डा.टी.एल.थनुलिंगम | Dr. T. L. THANULINGAM)
संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
दक्षिणांचल, चेन्नै | South Circle, Chennai

प्रतिलिपि प्रेषित | Copy Forwarded to:

- उप मुख्य विस्फोटक नियंत्रक कोच्ची
The Dy. Chief Controller of Explosives, Kochi
- District Magistrate, IDUKKI, Kerala with reference to his Noe No: AE2-51882/2011/K.Dis Dated: 21/11/2012
- Superintendent of Police, IDUKKI, Kerala.

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
दक्षिणांचल, चेन्नै | South Circle, Chennai

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट <http://peso.gov.in> देखें.)
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note :- This is system generated document does not require physical signature. Applicant may take printout for their

अनुज्ञापि प्ररूप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)
(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1, 2, 3, 4, 5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञापि
Licence to possess : (c) for use, explosives of class 1, 2, 3, 4, 5, 6 or 7 in a magazine

अनुज्ञापि सं. (Licence No.) : E/SC/KL/22/1761(E70839)

वार्षिक फीस रुपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to

M/s. Marthoma Granites (अधिभोगी / Occupier : Sajan Mani), Edavetty-P.O., Town/Village - Thodupuzha, District-IDUKKI, State-Kerala, Pincode - 685588



को अनुज्ञापि अनुदत्त की जाती है।

2. अनुज्ञापिधारी की प्रास्थिति | Status of licensee : **Partnership Firm**

3. अनुज्ञापि निम्नलिखित प्रयोजनों के लिए विधिमार्ग है।
Licence is valid only for the following purpose.

possess for use of **Nitrate Mixture, Safety Fuse, Ordinary Detonator, Electric Detonators**, - के उपयोग के लिए

4. अनुज्ञापि विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमार्ग है।
Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. सं.	नाम और विवरण	वर्ग और प्रभाग	उप-प्रभाग	मात्रा किसी एक समय में
Sr. No.	Name and Description	Class & Division	Sub-division	Quantity at any one time
1.	Nitrate Mixture	2, 0	0	500 Kg.
2.	Safety Fuse	6, 1	0	2000 Mtrs
3.	Ordinary Detonator	6, 3	0	2000 Nos.
4.	Electric Detonators	6, 3	0	2000 Nos.

(ख) किसी एक कैलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञापि के लिए]

(b) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3(b) and (c)] :

10 times
as above.

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञापि परिसर की पुष्टि होती है।
The licensed premises shall conform to the following drawing(s) :

रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/1761(E70839)
दिनांक (Dated) 29/08/2023

6. अनुज्ञापि परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Survey No. 295/4, Block No.34, ग्राम (Town/Village) : Karikkode, Thodupuzha Taluk

जिला (District) : IDUKKI राज्य (State) : Kerala पिनकोड (Pincode) : 685588
दूरभाष (Phone) : ई. मेल (E-Mail) : फैक्स (Fax) :

7. अनुज्ञापि परिसर में निम्नलिखित सुविधाएं अंतर्भूत हैं।
The licensed premises consist of following facilities.

A set of two portable magazines D (509) and A(15) type fabricated by M/s.Thekkans Engineering, Ernakulam

8. अनुज्ञापि समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।
The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2004 framed there under and the conditions, additional conditions and the following Annexures.

1. उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए।)
Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

2. अनुज्ञापि प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञापि की शर्त और अतिरिक्त शर्त।
Conditions and Additional Conditions of this licence signed by the licensing authority.

3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञापि तारीख 31 मार्च 2027 तक विधिमार्ग रहेगी। This licence shall remain valid till 31st day of March 2027.

यह अनुज्ञापि, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञापि की शर्तों का अधिक्रमण करने या यदि अनुज्ञापि परिसर योजना या उसके संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।
This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 16/08/2023

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :

- Change in Authorized Signatory/Occupier/Partners/Directors dated : 17/08/2023
- Change in Postal Address dated : 17/08/2023
- Amendment in Drawings/Facilities/Premises dated : 28/08/2023
- Change in Authorized Signatory/Occupier/Partners/Directors dated : 28/08/2023
- Amendment in Drawings/Facilities/Premises dated : 29/08/2023

Transfers :

- Change in Licensee Name/Address/Status dated : 16/08/2023
- Change in Licensee Name/Address/Status dated : 17/08/2023

नवीनीकरण के पृष्ठानक के लिए स्थान
Space for Endorsement of Renewal

नवीकरण की तारीख
Date of Renewal

समाप्ति की तारीख
Date of Expiry

अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प
Signature of licensing authority and stamp

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दांडिक अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

Note :- This is system generated document does not require physical signature. Applicant may take printout for

CONSENT TO OPERATE FROM KSPCB



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. : KSPCB/ID/ICO/10068597/2024

Date of issue : 27-09-2024

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : KSPCB/ID/ICO/10068597/2024

Valid upto : 30/06/2028

The Integrated Consent to Operate issued as per reference above to M/S ROCK QUARRY OF MARTHOMA GRANITES II, MEENMUTTY, EDAVETTY P.O THODUPUZHA, IDUKKI, KERALA- 685588 is hereby renewed up to 30/06/2028 and issued to MARTHOMA GRANITES, MEENMUTTY, EDAVETTY P.O THODUPUZHA, IDUKKI, KERALA- 685588

The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

1. GENERAL

SL NO.	ITEM	DESCRIPTION
1	VALIDITY	30.06.2028
2	CATEGORY	RED
3	CAPITAL INVESTMENT	Rs. 394 Lakhs
4	ANNUAL FEE	Rs.35000/-
5	FEE REMITTED	Rs. 227500/-
6	OCCUPIER	SRI. SAJAN MANI S/o K.O MANI, KANIYARKUZHAYIL, KARIMKUNNAM(PART), THODUPUZHA, 685586
7	PRODUCT	583.33 Metric Tonnes per Day

PANCHAYAT LICENSE



ഇടവെട്ടി ഗ്രാമപഞ്ചായത്ത് ഗ്രാമപഞ്ചായത്തിൽ നിന്നും

1994ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകളും

അതേ ഇടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ച്

ഫാക്ടറികൾ, വ്യാപാരങ്ങൾ, സംരംഭങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

ലൈസൻസ്

നമ്പർ : 83-97/25

തീയതി : 29/03/2025

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	സാജൻ മാണി, മാനേജിങ് പാർട്ണർ, മാർത്തോമ്മ ഗ്രാനൈറ്റ്സ്, ലീൻമുട്ടി, ഇടവെട്ടി പി ഒ	
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	മാർത്തോമ്മ ഗ്രാനൈറ്റ്സ്, ലീൻമുട്ടി, ഇടവെട്ടി പി ഒ	
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	പാറകൾ നടത്തുന്നതിന്	
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡ് നമ്പരും	വാർഡ് 6/വില്ലേജ്-ആലക്കോട്, സർവ്വേ നമ്പർ-8/9, വിസ്തീർണ്ണം-7.4590 ഹെക്ടർ	
ലൈസൻസ് കാലയളവ്	01/04/2025 മുതൽ 31/03/2026വരെ	
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	15000 /- രൂപ	സെീന് നം: 1240103663 തീയതി: 25/03/2025
തൊഴിൽക്കരം	2500 /- രൂപ	സെീന് നം: 1240103663 തീയതി: 25/03/2025
ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഫാക്ടറാക്കിയ നിരീക്ഷകപത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽകിയ അധികാരസ്ഥാനം)		

ലൈസൻസി താഴെപ്പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

1. കേരള പഞ്ചായത്ത് രാജ് ആക്ടും അനുബന്ധങ്ങളും പട്ടണവും ലൈസൻസുകൾക്കും അനുബന്ധ പ്രവർത്തിക്കേണ്ടതാകുന്നു.
2. തൊഴിൽസ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്ത് അധികാരികൾക്കോ / സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വാങ്ങേ സൗകര്യങ്ങൾ നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസി കാണിക്കേണ്ടതാകുന്നു.
3. എല്ലാ സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസി നൽകിയിരിക്കുന്നതോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്കവിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും ലൈസൻസിന്റെ നമ്പരും ഉദ്യോഗവും കാണിക്കുന്ന ഒരു അടയാളപ്പെരുക്ക വെച്ചിരിക്കേണ്ടതാണ്.
4. പഞ്ചായത്തിന്റെ നിയമം അനുസരിച്ച് സ്ഥിരപ്പെടുത്തിയ തൊഴിൽസ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർമ്മാണ പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതാകുന്നു.
5. തൊഴിൽസ്ഥലവും പരിസരങ്ങളും വൃത്തിയാക്കും സാഫ്റ്റ്വികരണഗുണങ്ങൾ ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനാപേക്ഷാകാരന് വിധത്തിലും സുപാലത്തിൽ വെച്ചിട്ടുള്ള കക്ഷണപാർക്കിംഗ് ഈ.ഡി. അനുബന്ധം, പൊതു ഉപയോഗാവശ്യ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
6. ഏതൊരു പ്രവൃത്തിവിവരത്തിന്റെയും മറ്റാരുടെയും സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
7. ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിരക്ഷരപിഴവോ ചെയ്യുന്ന ചുറ്റുപാടോ ഉപയോഗം അവശിഷ്ടങ്ങളോ മറ്റ് പാർക്കിംഗ് മേഖലയിൽ സെക്രട്ടറിക്ക് തൃപ്തികരമായ തീരുമാനം നൽകേണ്ടതാണ്.
8. ലൈസൻസി ഏതൊരു കെട്ടിടത്തിന്റെയും പുറത്തുള്ള അകമ്പടത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപ്പറഞ്ഞ പരിസരത്തിലുള്ള അമ്പലം അല്ലാത്തതും അവിടെ തെറിപ്പുറംനിറയലുള്ള ഏതെങ്കിലും ഉറപ്പാക്കൽ, മാർബിൾ ചുറ്റുപാടോ അസഹ്യവും ഉപയോഗശൂന്യമായ ഏതെങ്കിലും പാർക്കിംഗ് അവിടെ ലഭിക്കുന്നതാണ് അടയാളപ്പെരുക്കം ഏതൊരു നന്നായി കെട്ടിപ്പിടിപ്പിച്ചിട്ടുള്ള നിർമ്മാണകലാകാരന്.
9. ലൈസൻസി മേൽപ്പറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അനുബന്ധങ്ങളുള്ള ഏതൊരു മാറ്റുപാടോ അടുക്കലും കളയുന്നതിനുള്ള ഉപകരണവും ഏതൊരു നന്നായി കെട്ടിപ്പിടിപ്പിച്ചിട്ടുള്ളതും വെച്ചിരിക്കേണ്ടതാണ്.
10. അതിരും ആപദിക്കുന്ന കടമകളുടെ ലൈസൻസി ന്റ് ചെയ്യുന്നതാണ്.
11. ഏതെങ്കിലും തരത്തിലുള്ള ബുക്ക് മേഖലകൾ കഷ്ടതാപരമായ, വൃണയോ പകർച്ചവ്യാധികളോ ഉള്ള മാരകമായും കൃഷി നശിക്കുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
12. നിരോധിത ഹാൻഡ് റ്റുസ്കാൽ ഉൽപ്പാദിപ്പിക്കുകയോ വെക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ പാടില്ല.
13. സാധനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും വെക്കേണ്ടതാണ്.
14. 20 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ പൊതുജനങ്ങൾക്കും റെസ്റ്റോറന്റുകൾക്കും മോട്ടോർ വാഹനവും ഏർപ്പെടുത്തേണ്ടതാണ്.
15. നിരോധിത ഉൽപ്പന്നങ്ങളായ പാൻകാസലും ഇഡ്കു തുടങ്ങിയവ സംഭരിച്ചു വെക്കുന്നതോ വിൽക്കുന്നതോ പാടില്ല.
16. ബാലന്റസ് അനുവദിക്കുവാൻ പാടില്ല.
17. മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ പേര് ഈ ലൈസൻസി ന്റ് ചെയ്യുന്നതിന് കാണിക്കേണ്ടതാണ്.
18. പൊതുജനസങ്കല്പിന്റെ 13-06-2020ലെ സ.ഉ. (സാധനം) 1877/2020/പ.പ.ക.വ. ഉത്തരവ് പ്രകാരമുള്ള കോവിഡ് പ്രൊട്ടോക്കോൾ പാലിക്കണം.
19. തദ്ദേശ സ്വയം ഭരണ വകുപ്പിന്റെ 22-07-2017ലെ സ.ഉ.(സാധനം) 2511/2017/ക.സ.ക.വ. പ്രകാരമുള്ള ഉറവിട മാർബിൾ സംബന്ധ സമ്പന്ന സമ്പന്ന സമ്പന്നം.
20. മറ്റ് വകുപ്പുകളിൽ നിന്നും അനുബന്ധിച്ചുള്ള പേർലിഷർ, ലൈസൻസി, മറ്റ് ക്ലിമറ്റർനുകൾ എന്നിവ അത്ത് സമാന്തരിൽ പുറപ്പെടുവിക്കേണ്ടതാകുന്നു. അല്ലാത്ത പക്ഷം പഞ്ചായത്ത് അനുബന്ധിച്ചുള്ള ലൈസൻസി സമ്പന്നം ന്റാകുന്നതാണ്.

21.

(ഒപ്പ്)
സെക്രട്ടറി
ഇടതോട്ടി ഗ്രാമപഞ്ചായത്ത് ഗ്രാമപഞ്ചായത്ത്

MR. ഈ ലൈസൻസി പരിശോധനയിൽ പറ്റി വെച്ചിട്ടുള്ളതാണ് ആയതിനാൽ പ്രത്യേകമായ ഒപ്പും സീലും ആവശ്യമില്ല. ഈ ലൈസൻസി അനുബന്ധിക്കുന്ന തീരുമാനം മുന്നുള്ള തീരുമാനത്തിനും ലൈസൻസി പുറപ്പെടുവിക്കുന്നതിനുള്ള അടപടി സാർവ്വത്രികമാകുന്നു.



BOUNDARY PILLARS



VQW8+22, Keerikode, Kerala 685581, India

Latitude

9° 53' 47.69858" N

Longitude

76° 46' 0.50117" E

Local 12:52:35 PM

GMT 07:22:35 AM

Altitude 111 meters

Wednesday, 26.03.2025



VQW8+22, Keerikode, Kerala 685581, India

Latitude

9° 53' 46.03168" N

Longitude

76° 46' 0.43871" E

Local 12:54:07 PM

GMT 07:24:07 AM

Altitude 111 meters

Wednesday, 26.03.2025

FENCING



EC BOARD



ANNEXURE-18

EXPLOSIVE MAGAZINE



ANNEXURE-19

BLASTING MAT



GPS Map Camera

WARNING ALARM

ANNEXURE-20



Meenmutty Asarikunnu Rd, Kerala 685581, India

Latitude

9° 53' 52.02845" N

Longitude

76° 45' 57.87968" E

Local 01:14:21 PM

GMT 07:44:21 AM

Altitude 121 meters

Wednesday, 26.03.2025

A photograph of a dirt access road winding through a lush, green forest. The road is unpaved and shows signs of wear with tire tracks. The left side of the road is heavily overgrown with dense foliage, including large-leafed plants and ferns. The right side is also lined with thick vegetation and trees. The road leads into the distance, where more trees are visible under a clear sky.

ANNEXURE-21

ACCESS ROAD

ANNEXURE-21

ACCESS ROAD



ANNEXURE-22



TRANSPORT VEHICLE COVERD ON TOP



BLASTING TIMING

ANNEXURE-24

QUARRY BENCHES



ANNEXURE-24

QUARRY BENCHES





ANNEXURE-24

QUARRY BENCHES

ANNEXURE-25

BUFFER ZONE PLANTATION



ANNEXURE-25

BUFFER ZONE PLANTATION



ANNEXURE-26



ANALYSIS REPORT

Page 01 of 02

Client: **M/s. Marthoma Granites**
Lease Area: 7.4590 Ha.
Re-Sy. Block No.32, Re-Sy No.8/9,
Alakode Village, Thodupuzha Taluk,
Idukki District, Kerala State

Date of Sampling: 18-08-2025

Report No: SLM/2025/08/5602-A

Details of Sample: Sound Level Monitoring (CORE ZONE)

Report Date: 21-08-2025

Sl.No	Monitoring Time	Results
1.	06.00 Hrs	40.4 dB (A)
2.	07.00 Hrs	41.7 dB (A)
3.	08.00 Hrs	42.2 dB (A)
4.	09.00 Hrs	39.3 dB (A)
5.	10.00 Hrs	46.1 dB (A)
6.	11.00 Hrs	43.9 dB (A)
7.	12.00 Hrs	48.4 dB (A)
8.	13.00 Hrs	46.5 dB (A)
9.	14.00 Hrs	47.1 dB (A)
10.	15.00 Hrs	51.7 dB (A)
11.	16.00 Hrs	58.2 dB (A)
12.	17.00 Hrs	51.6 dB (A)
13.	18.00 Hrs	52.8 dB (A)
14.	19.00 Hrs	55.1 dB (A)
15.	20.00 Hrs	46.2 dB (A)

Page 02 of 02

16.	21.00 Hrs	43.5 dB (A)
17.	22.00 Hrs	42.3 dB (A)
18.	23.00 Hrs	40.4 dB (A)
19.	00.00 Hrs	40.8 dB (A)
20.	01.00 Hrs	40.4 dB (A)
21.	02.00 Hrs	38.4 dB (A)
22.	03.00 Hrs	38.6 dB (A)
23.	04.00 Hrs	36.3 dB (A)
24.	05.00 Hrs	36.5.1 dB (A)

ENVIRONMENTAL SERVICES
Azad Building, Azad Road
Kaloor, Kechi-17
Phone 0484 6242442, 2333265
mail enviroqc@gmail.com**ANALYST**



ANALYSIS REPORT

Page 01 of 02

Client: M/s. Marthoma Granites
Lease Area: 7.4590 Ha.
Re-Sy. Block No.32, Re-Sy No.8/9,
Alakode Village, Thodupuzha Taluk,
Idukki District, Kerala State

Date of Sampling: 18-08-2025

Report No: SLM/2025/08/5602-B

Details of Sample: Sound Level Monitoring (ASHARIKUNNU)

Report Date: 21-08-2025

Sl.No	Monitoring Time	Results
1.	06.00 Hrs	37.4 dB (A)
2.	07.00 Hrs	41.4 dB (A)
3.	08.00 Hrs	45.2 dB (A)
4.	09.00 Hrs	39.3 dB (A)
5.	10.00 Hrs	46.1 dB (A)
6.	11.00 Hrs	42.9 dB (A)
7.	12.00 Hrs	48.4 dB (A)
8.	13.00 Hrs	46.5 dB (A)
9.	14.00 Hrs	45.1 dB (A)
10.	15.00 Hrs	51.7 dB (A)
11.	16.00 Hrs	58.2 dB (A)
12.	17.00 Hrs	51.6 dB (A)
13.	18.00 Hrs	52.8 dB (A)
14.	19.00 Hrs	52.1 dB (A)
15.	20.00 Hrs	46.2 dB (A)

16.	21.00 Hrs	42.5 dB (A)
17.	22.00 Hrs	45.3 dB (A)
18.	23.00 Hrs	43.4 dB (A)
19.	00.00 Hrs	42.8 dB (A)
20.	01.00 Hrs	43.4 dB (A)
21.	02.00 Hrs	39.4 dB (A)
22.	03.00 Hrs	40.6 dB (A)
23.	04.00 Hrs	40.3 dB (A)
24.	05.00 Hrs	41.5.1 dB (A)

ENVIRONMENTAL SERVICES
Azad Building, Azad Road
Kaloor, Kechi-17
Phone 0484 6242442, 2333265
mail enviroqc@gmail.com



ANALYST

ANALYSIS REPORT

Page 01 of 02

Ref.NoENV/08-25/5602-E

Date: 21.08.2025

Name and address of the customer : Marthoma Granites

Lease Area: 7.4590 Ha.
 Re-Sy. Block No.32, Re-Sy No.8/9,
 Alakode Village, Thodupuzha Taluk,
 Idukki District, Kerala State

Particulars of the sample : Water sample

Date of receipt of sample : 18.08.2025

Standard Referred : IS 3025

<u>PARAMETERS</u>	<u>UNIT</u>	<u>TEST METHOD</u>	<u>RESULT</u>	<u>LIMIT</u>
Color	Hazen Units	APHA	2.2	5 Hazen Unit
pH	—	APHA	7.9	6.5 – 8.5
Odour	-	APHA	Agreeable	Agreeable
Turbidity	NTU	APHA	0.35	1 NTU
Total Dissolved Solids	mg/L	APHA	189	500 mg/l
Total Hardness(asCaCO ₃)	mg/L	APHA	169	200 mg/l
Total alkalinity(asCaCO ₃)	mg/L	APHA	92	200 mg/l
Residual Chloine	mg/L	APHA	BDL	0.2 mg/l
Chlorides (as Cl)	mg/L	APHA	16.8	250 mg/l
Calcium as Ca	mg/L	APHA	28.2	75 mg/l
Magnesium (as Mg)	mg/L	APHA	6.9	30 mg/l
Iron (as Fe)	mg/L	APHA	0.2	0.3 mg/l
Sulphates (as SO ₄)	mg/L	APHA	49	200 mg/l
Fluoride as F	mg/L	APHA	BDL	1.0 mg/l
Selenium as Se	mg/L	APHA	BDL	0.01 mg/l
Arsenic as As	mg/L	APHA	BDL	0.01 mg/l
Copper as Cu	mg/L	APHA	BDL	0.05 mg/l
Manganese as Mn	mg/L	APHA	BDL	0.1 mg/l
Cadmium as Cd	mg/L	APHA	BDL	0.003 mg/l

Chromium as Cr	mg/L	APHA	BDL	0.05 mg/l
Zinc as Zn	mg/L	APHA	BDL	5mg/l
Mercury as Hg	mg/L	APHA	BDL	0.001 mg/l
Cyanide as CN	mg/L	APHA	BDL	0.05 mg/l
Lead as Pb	mg/L	APHA	BDL	0.01 mg/l
Aluminum as Al	mg/L	APHA	BDL	0.03 mg/l
Boron as B	mg/L	APHA	BDL	0.5 mg/l

ENVIRONMENTAL SERVICES
 Azad Building, Azad Road
 Kaloor, Kechi-17
 Phone 0484 6242442, 2333265
 mail enviroqc@gmail.com



ANALYST

MICROBIOLOGICAL ANALYSIS

Parameters Tested	Unit	Test Method	Results	Limit
Coli form Count	MPN/100ml	IS 5401	<2	<2
E.coli	Absent/Present	IS 1622	Absent	Absent

*Remark: Sample conforms to IS 10500 Specifications for drinking water based on the above test conducted.

< End of Report >

ENVIRONMENTAL SERVICES
Azad Building, Azad Road
Kaloor, Kechi-17
Phone 0484 6242442, 2333265
mail enviroqc@gmail.com



ANALYST

ANNEXURE-29



Thodupuzha Kerala Aug 4, 2025, 06:31



ANNEXURE-30

SETTLING POND

Keerikode Kerala Jul 30, 2025, 14:09

ANNEXURE-30

DRAINS & SILT TRAPS

Thodupuzha Kerala Aug 4, 2025, 06:30



ANALYSIS REPORT

Client: **M/s. Marthoma Granites**
Lease Area: 7.4590 Ha.
Re-Sy. Block No.32, Re-Sy No.8/9,
Alakode Village, Thodupuzha Taluk,
Idukki District, Kerala State

Date of Sampling: 18-08-2025

Report No: AAM/2025/08/5602C

Details of Sample: Ambient Air quality Monitoring(CORE ZONE)

Report Date: 21-08-2025

Sl.No.	Particulars	Value	Reported	Limit
1.	Particulate Matter (PM ₁₀)	54.2		100µg/m ³
2.	Particulate Matter (PM _{2.5})	22.4		60µg/m ³
3.	Sulphur dioxide	12.5		80µg/m ³
4.	Nitrogen dioxide	15.9		80µg/m ³

***Remark: Limit as per the National Ambient Air Quality Standards (NAAQ)**

ANALYSIS REPORT

Client: **M/s. Marthoma Granites**
Lease Area: 7.4590 Ha.
Re-Sy. Block No.32, Re-Sy No.8/9,
Alakode Village, Thodupuzha Taluk,
Idukki District, Kerala State

Date of Sampling: 18-08-2025
D

Report No: AAM/2025/08/5602-

Details of Sample: Ambient Air quality Monitoring (ASHARIKUNNU)
2025

Report Date: 21-08-

Sl.No.	Particulars	Value	Reported	Limit
1.	Particulate Matter (PM ₁₀)	51.2		100µg/m ³
2.	Particulate Matter (PM _{2.5})	18.4		60µg/m ³
3.	Sulphur dioxide	10.5		80µg/m ³
4.	Nitrogen dioxide	14.3		80µg/m ³

***Remark: Limit as per the National Ambient Air Quality Standards (NAAQ)**

ANNEXURE-32



DUST SUPPRESSION TANKER

ANNEXURE-32



DUST SUPPRESSION WATER TANKER

A photograph of three construction workers standing in a quarry or construction site. The workers are wearing yellow hard hats. The worker on the left is wearing a blue shirt and dark pants. The worker in the middle is wearing a red shirt and dark pants. The worker on the right is wearing a pink shirt and light-colored pants, and is also wearing a blue face mask. They are standing on a pile of grey rocks and debris. In the background, there is a large pile of rocks and a yellow excavator. The sky is overcast.

ANNEXURE-33

WORKERS PERSONAL PROTECTIVE EQUIPMENT

ANNEXURE 33

WORKERS SHELTER



നോൺ ജുഡീഷ്യൽ **NON JUDICIAL**

₹ 200 **₹ 200**

കേരള സർക്കാർ
GOVERNMENT OF KERALA
e-Stamp

e-Stamp Serial Number : 202526000001550137 Verification Code : 165173070V

Govt. Reference No.(GRN)	: KL011681531202526E
Purpose	: Affidavit
Amount of Stamp Paper Purchased in Numeral	: ₹ 200
Amount of Stamp Paper Purchased in Words	: Rupees Two Hundred
Stamp Paper Purchased on	: 09/06/2025
First Party Name	: MANAGING PARTNER
First Party Address	: MARTHOMA GRANITES EDAVETTY
Second Party Name	: S E I A A
Second Party Address	: THIRUVANANTHAPURAM
Vendor Code & Name	: 10050355 - ARUN M
Treasury Code & Name	: 1005 - Sub Treasury, Thodupuzha

Please write or type below this line

AFFIDAVIT

I, SAJAN MANI Managing partner M/s. MARTHOMA GRANITES of Alakode Village, Thodupuzha Taluk, Idukki District, of Kerala, hereby state that the land Sy. No: 8/9 bearing the EC No: EC23B000KL128115 (E. C. File No: 1413(A)/EC1/2019/SEIAA, dated: 01.07.2023) that all the conditions stipulated in the Environmental clearance proceedings (ECP) shall be scrupulously following and do hereby solemnly affirm on oath as under that.

We will establish an environmental management cell to implement the environmental management strategy and meet the general and specific conditions stipulated in the EC conditions.


Sajan Mani
Managing Partner
Marthoma Granites
Edavetty, Thodupuzha, Idukki
Kerala

Solemnly affirmed and signed
before me by the deponent
known to me on this the 13th
day of June 2025
at my office at Thodupuzha



Arun M. Puthumanathottay



This can be verified by
https://www.estamp.treasury.kerala.gov.in/index.php?stamp_search=1&StampSerialNumberandVerificationCode

In case of any discrepancy, please inform the concerned authority.

JAISON J. PUTHUMANATHOTTY
ADVOCATE & NOTARY
THODUPUZHA, IDUKKI DIST.
KERALA STATE, INDIA-685585
PH: 9947854338



ARUN
VENDOR, THODUPUZHA